




FORREX SV-K 1100 (10 L) installed in
Ponsse Fox 022 (2010)





FORREX SV-K 1100 (10 L) installed in
Ponsse Fox 022 (2010)





FORREX SV-K 1100 (10 L) installed in
Ponsse Fox 022 (2010)



FORREX SV-K 1100 (10 L) installed in
Ponsse Fox 022 (2010)



FORREX SV-K 1100 (10 L) installed in
Ponsse Fox 022 (2010)



FORREX SV-K 1100 (10 L) installed in
Ponsse Fox 022 (2010)



FORREX SV-K 1100 (10 L) installed in

Ponsse Fox 022 (2010)

Revisjon	Utsatt av	Godkjent av	Revisjon	Utsatt av	Godkjent av
A	-	-	-	-	-

FORREXSYSTEM DAFO TYPE SV-K 1100 EAM

1. Agent tank SV-K 10
2. Control unit type CV-01/BK
3. Nitrogen cartridge type N8A
4. Alarm horn
5. Alarm panel
6. Nozzle type DW2, 14 pcs. (Fixed angels on stainless pipes)
7. Pipe no.1
8. Pipe no.2
9. Pipe no.3
10. Pipe no.4
11. Spottedetector BD-P 120°, 4 pcs
12. Spottedetector BD-P 180°, 1 pcs
13. End resistance 1,8 kohm for detector circuit
14. Manual actuator
15. Fuses for the system (7,5 A)
16. Master switch
17. Hydraulic hose 1/4 " R1T
18. Hydraulic hose 1/2 " R1T
19. Clean blow valve

The installation contains off one tank with 10 liter Forrex.
The tank can be released electrically from the alarm panel and mechanically from the outside of the vehicle.

The installation is connected via the master switch. It is manual when the master switch is in position "On" but automatic when the switch is in position "Off".

Protected volym : 2,5 m³
Extinguishing agent : 4,0 liter/m³

Partnr	Ant	Bennevning/deskskription	Materiale	Mod. nr. eller Dimensjoner	Chassi no. PO137
					R003690
Fire Suppression System FORREX type SV-K 1100 EAM for Ponsse Fox					R003690
Revisjon nr. KD Godkjent av: JT Godt. av: SV/Moyes Ponsse/for.cof Revisjonsnr. no.					Dato: 2010-02-18 Antall partier: - Eks. Beskrivelse: - R003690

