Forrex AB -50 Page 1 of 7



# SAFETY DATA SHEET Forrex AB-50

**SECTION 1:** Identification of the substance/mixture and of the company/undertaking

Date issued 13.09.2012 Revision date 26.10.2015

1.1. Product identifier

Product name Forrex AB -50

Article no. 57-1050-25, 25l; 57-1050-02, 200l; 57-1050-00, Container 1000 l.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation Appliance protection.

#### 1.3. Details of the supplier of the safety data sheet

Company name Dafo Brand AB
Office address Vindkraftsvägen 8

Postcode S-13526
City Tyresö
Country Sweden

 Tel
 + 46 850640500

 E-mail
 info@dafo.se

 Website
 http://www.dafo.se

#### 1.4. Emergency telephone number

Emergency telephone National Poisons Information Service, London: +44 20 7771 5394

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of substance or mixture

Classification according to

Eye Irrit. 2;H319;

Regulation (EC) No 1272/2008 [CLP/GHS]

Substance / mixture

hazardous properties Not regarded as a health or environmental hazard under current legislat

#### 2.2. Label elements

#### Hazard Pictograms (CLP)



Composition on the label Alkyl polyglycoside:1 - 4,5 %, Ethanediol:20,0 - 24,9 %

Precautionary statements P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical

advice/attention.

#### 2.3. Other hazards

Forrex AB -50 Page 2 of 7

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

| Substance           | Identification  | Classification             | Contents    |
|---------------------|---|----------------------------|-------------|
| Alkyl polyglycoside | CAS no.: 68515-73-1<br>EC no.: 500-220-1<br>Registration number: 01-<br>2119488530-36 | Xi; R41<br>Eye Dam. 1;H318 | 1 - 4,5 %   |
| Ethanedoi           | CAS no.: 107-21-1<br>EC no.: 203-473-3<br>Index no.: 603-027-00-1                     | Acute tox. 4; H302         | 20,0 - 24,9 |

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General Provide rest, warmth and fresh air. Get medical attention if any

discomfort continues.

Inhalation Fresh air and rest. Get medical attention if any discomfort continues. Skin contact Remove contaminated clothing and launder thoroughly before reuse.

Wash skin thoroughly with soap and water for several minutes. Get

medical attention if any discomfort continues.

Eye contact Immediately rinse with water for several minutes. Make sure to

remove any contact lenses from the eyes before rinsing.

Ingestion Immediately rinse mouth and drink plenty of water. Keep person

under observation. If person becomes uncomfortable seek hospital

and bring these instructions.

Recommended personal

protective equipment for first

aid responders

No recommendation given.

#### 4.2. Most important symptoms and effects, both acute and delayed

Information for health personnel Get medical attention if any discomfort continues.

### 4.3. Indication of any immediate medical attention and special treatment needed

Medical monitoring for delayed effects

No recommendation given.

Separate first aid equipment No recommendation given.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media This product is not flammable.

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards None. **5.3. Advice for firefighters** 

Fire fighting procedures Follow the general fire precautions indicated by the workplace.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures Avoid contact with skin and eyes. Do not breathe vapour. For

personal protection, see section 8.

Forrex AB -50 Page 3 of 7

#### 6.2. Environmental precautions

Environmental Prevent discharge of larger quantity to drain. Avoid discharge to

precautionary measures the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Cleaning method Absorb with sand or other inert absorbent. Flush area clean with

lots of water. Be aware of potential for surfaces to become

slippery. For waste disposal, see section 13.

#### 6.4. Reference to other sections

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling Avoid contact with skin and eyes. Avoid inhalation of vapours.

Wash hands before breaks and before smoking, eating or drinking. Wash hands and contaminated areas with water and soap after

finished work. Container must be kept tightly closed.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Store at specified temperature. Keep containers tightly closed.

Protect against direct sunlight.

#### 7.3. Specific end use(s)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

**Occupational Exposure limit values** 

| Substance                          | Identification  | Value  | TWA years |
|------------------------------------|---|--|-----------|
| Alkyl polyglycoside                | CAS no.: 68515-73-1<br>EC no.: 500-220-1                          |  |           |
|                                    | Registration number: 01-<br>2119488530-36                         |  |           |
| Ethanediol Ethane-1,2-diol, vapour | CAS no.: 107-21-1<br>EC no.: 203-473-3<br>Index no.: 603-027-00-1 | 8-hour TWA: 20 ppm<br>8-hour TWA: 52<br>mg/m3<br>15 min.: 40 ppm<br>15 min.: 104 mg/m3 | 2011      |

Substance Alkyl polyglycoside

Suitable gloves type Butyl rubber. Gloves of nitrile rubber, PVA or Viton are recommended.

Eye protection: Goggles/face shield are recommended.

#### **DNEL / PNEC from substances**

Substance Alkyl polyglycoside
DNEL **Group:** Consumer

Exposure route: Oral

**Exposure frequency:** Long term (repeated)

**Type of effect:** Systemic effect **Value:** 35,7 mg/kg bw/day

DNEL **Group:** Consumer

**Exposure route:** Inhalation

**Exposure frequency:** Long term (repeated)

Type of effect: Systemic effect

Value: 124 mg/m3

Forrex AB -50 Page 4 of 7

DNEL **Group:** Consumer

Exposure route: Dermal

**Exposure frequency:** Long term (repeated)

**Type of effect:** Systemic effect **Value:** 357000 mg/kg bw/day

DNEL **Group:** Worker

**Exposure route:** Inhalation

**Exposure frequency:** Long term (repeated)

**Type of effect:** Systemic effect

Value: 420 mg/m3 Group: Worker

Exposure route: Dermal

**Exposure frequency:** Long term (repeated)

**Type of effect:** Systemic effect **Value:** 595000 mg/kg bw/day

## 8.2. Exposure controls Respiratory protection

Respiratory protection Under normal conditions of use respiration protection should not be

required.

**Hand protection** 

**DNEL** 

Hand protection Protective gloves must be used if there is a risk of direct contact

or splash.

Suitable gloves type Rubber or plastic.

Eye / face protection

Skin protection

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Coloured liquid.

Colour Red.

Odour Slight odour.

pH (aqueous solution) Value: 6,5-8,5

Freezing point Value: -50 °C

Specific gravity Value: ~ 1,15 g/ml

Solubility description Completely soluble in water.

Viscosity Value: :5 30 mPas

Method of testing: Brookfield DV

#### 9.2. Other information

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reactivity There are no known conditions that are likely to result in a hazardous

situation.

#### 10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None.

Forrex AB -50 Page 5 of 7

#### 10.4. Conditions to avoid

Conditions to avoid Earth metals such as sodium, potassium and barium.

#### 10.5. Incompatible materials

Materials to avoid Alkali earth metals.

#### 10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion may liberate carbon oxides

products and other toxic gases or vapours.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Toxicological data for substances

Substance Alkyl polyglycoside LD50 oral **Value:** > 2000

mg/kg

Animal test species: Rat Test reference: OECD 401

LD50 dermal **Value:** > 2000 mg/kg

Animal test species: Rabbit Test reference:

**OECD 423** 

CMR effects Germ cell mutagenicity: No known chronic or acute health risks.

**Carcinogenicity:** No known chronic or acute health risks. **Reproductive toxicity:** No known chronic or

acute health risks.

Potential acute effects

Skin contact Liquid may irritate skin.

Eye contact Spray and vapour in the eyes may cause irritation and smarting.

#### **Delayed effects / repeated exposure**

Sensitisation No known chronic or acute health risks.

#### Carcinogenic, Mutagenic or Reprotoxic

Carcinogenicity

No known chronic or acute health risks.

Mutagenicity

No known chronic or acute health risks.

Reproductive toxicity

No known chronic or acute health risks.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### **Toxicological data for substances**

Substance Alkyl polyglycoside
Acute aguatic, fish **Value:** ~ 20 mg/l

Method of testing: OCDE 203 Species: Cyprinodon Variegatus

**Duration:** 96 hrs

Acute aquatic, algae **Value:** ~ 21 mg/l

**Method of testing:** ISO 10253 **Species:** Skeletonerna Costatum

**Duration:** 72 hrs

Acute aquatic, Daphnia **Value:** ~ 150 mg/l

Method of testing: ISO 14669

**Species:** Acartia Tonsa **Duration:** 48 hrs

Forrex AB -50 Page 6 of 7

Persistence and degradability 
The product is easily biodegradable.

Biodegradability Value: ~ 100 %

Test period: 28 days

Method of testing: OCDE 301E

Bioaccumulation: Is not expected to be bioaccumulable.

#### 12.2. Persistence and degradability

Persistence and degradability 
The product is expected to be biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation: Is not expected to be bioaccumulable.

12.4. Mobility in soil

Mobility The product contains substances, which are water soluble and may

spread in water systems.

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Specify the appropriate Dispose of waste and residues in accordance with local

methods of disposal authority requirements.

Relevant waste regulation Directive 2008/98/EC of the European Parliament and of the Council of 19

November 2008 on waste and repealing certain Directives (Text with EEA

relevance).

EWC waste code EWC: 160305 organic wastes containing dangerous substances

#### **SECTION 14: Transport information**

#### **14.1. UN number**

Comments Not applicable. No information required.

#### 14.2. UN proper shipping name

Comments Not applicable. No information required.

#### 14.3. Transport hazard class(es)

Comments Not applicable. No information required.

14.4. Packing group

Comments Not applicable. No information required.

#### 14.5. Environmental hazards

Comments Not applicable. No information required.

#### 14.6. Special precautions for user

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Additional information.

Additional information. The product is not covered by international regulation on the

transport of dangerous goods (IMDG, IATA, ADR/RID).

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-directive COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending

Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of

Forrex AB -50 Page 7 of 7

Chemicals (REACH). Methods of evaluating information (Art. 9 Regulation

(EC) No

1272/2008): Dangerous Preparations Directive 1999/45/EC. Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

Legislation and regulations

Directive 2008/68/EC of the European Parliament and of the Council of 24 September 2008 on the inland transport of dangerous goods (Text with EEA relevance). Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden, AFS 2011:18.

#### 15.2. Chemical safety assessment

Chemical safety assessment

Yes

performed

#### **SECTION 16: Other information**

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Eye Irrit. 2; H319;

List of relevant R-phrases (under headings 2 and 3

R41 Risk of serious damage to eyes.

List of relevant H-phrases

H318 Causes Serious eye damage.

(Section 2 and 3)

H302 Harmful if swallowed. H319 Causes serious eye irritation

Version Responsible for safety data

sheet

Dafo Brand AB